Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S136	615635	clock nera5 cycle near5 (steal$3 or suspend$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:30
S137	13627	wait near2 state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 08:55
S138	6535	S136 and S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 08:56
S139	3753	(determin$3 or check$3 or evaluat$3 or find$3) with address$3 near5 range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 08:59
S140	198	S138 and S139	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 08:59
S141	185	S140 and (micro$1control$3 or micro$3processor or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:02
S142	190	clock near5 cycle near5 (steal$3 or suspend$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:31
S143	882	clock near5 cycle near5 (steal$3 or suspend$3 or stop$3 or halt$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:31

S144	123	S137 and S143	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:32
S145	9	S139 and S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:33
S146	50	S144 and (address near5 range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:00
S147	441	extend$3 near2 clock near2 (pulse or cycle or period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:02
S148	3	S139 and S147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:02
S149	136	"jain raj"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:41
S150	5	S149 and pct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:39
S151	7	S149 and (wait near2 state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:39

S152	6135	(ready or full or available) with (flag or signal or indicat$3 or bit) with (buffer or register or memory) with (cpu or processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:26
S153	441	extend$3 near2 clock near2 (pulse or cycle or period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:26
S154	20	S152 and S153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:26
S155	6333	(ready or full or available) with (flag or signal or indicat$3 or bit) with (buffer or register or memory) with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:32
S156	20	S153 and S155	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:27
S157	17	S156 and ((address near5 range) or (memory near5 space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:33
S158	5268	(ready or full or available) with (flag or signal or indicat$3) with (buffer or register or memory) with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 13:32
S159	7640	(determin$3 or check$3 or evaluat$3) with ((address near5 range) or (memory near5 space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:34

S160	291	S158 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:34
S161	0	(stop$3 or halt$3 or suspend$3 or extend$3 or steal$3) near5 clcok	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:36
S162	23845	(stop$3 or halt$3 or suspend$3 or extend$3 or steal$3) near5 clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:36
S163	21	S160 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:37
S164	611293	((program adj memry) or ROM or eprom or eerom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:38
S165	17	S163 and S164	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:51
S166	779	ready adj flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:52
S167	113	(ready adj flag) with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:52

S168	22	(ready adj flag) with buffer with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:56
S169	311	((ready or full) adj (flag or signal or indicat$3)) with buffer with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:58
S170	22	((ready or full) adj (flag or signal or indicat$3)) with (coupl$3 or connect$3) with buffer with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:20
S171	35	((ready or full) adj (flag or signal or indicat$3)) with (coupl$3 or connect$3) with (buffer or register) with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 13:59
S172	37	((ready or full) adj (flag or signal or indicat$3)) with (coupl$3 or connect$3) with (buffer or register) with (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:14
S173	10	S164 and S172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:15
S174	28176	"711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 15:45
S175	618	S162 and S174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 15:46

S176	44	S159 and S175	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:05
S177	1150	710/57-60.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:07
S178	166	S159 and S162	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:07
S179	0	S177 and S178	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:07
S180	1	S170 and S177	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:08

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	chang-sheng-tsai.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:18
L2	5	chi-chao-wen.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:17
L3	4866	(determin$3 or judg$3 or check$3) with address with range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 07:25
L4	21938	(wait$3 adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 07:25
L5	27659	711/1-3,101-105,111-115,,167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:25
L6	963	L3 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:25
L7	91	L4 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:28
L8	301	L3 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 07:26
L9	799	712/1,38,43.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:26

L10	6	L8 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 07:26

Results for "(((extend <or> steal <or> stop <or> halt) <sentence> clock <and> range..." e-mail
Your search matched **15** of **1302021** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(((extend <or> steal <or> stop <or> halt) <sentence> clock <and> range)<in>metadat

☐ Check to search only within this results set

Display Format: ◉ Citation ○ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select **Article Information**

☐ 1. **An extended operation of three-phase SCCD's by controlled free-charge t**
Narayanan, L.S.; Bhattacharyya, A.B.;
Electron Devices, IEEE Transactions on
Volume 29, Issue 12, Dec 1982 Page(s):1897 - 1900
AbstractPlus | Full Text: PDF(424 KB) **IEEE JNL**

☐ 2. **A 100-ps time-resolution CMOS time-to-digital converter for positron emi tomography imaging applications**
Swann, B.K.; Blalock, B.J.; Clonts, L.G.; Binkley, D.M.; Rochelle, J.M.; Breedin K.M.;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 11, Nov. 2004 Page(s):1839 - 1852
Digital Object Identifier 10.1109/JSSC.2004.835832
AbstractPlus | References | Full Text: PDF(1680 KB) **IEEE JNL**

☐ 3. **A low-power half-delay-line fast skew-compensation circuit**
Yi-Ming Wang; Jinn-Shyan Wang;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 6, June 2004 Page(s):906 - 918
Digital Object Identifier 10.1109/JSSC.2004.827800
AbstractPlus | References | Full Text: PDF(1120 KB) **IEEE JNL**

☐ 4. **Enhancing the monitoring range and sensitivity in CSRZ chromatic dispe using a dispersion-biased RF clock tone**
Nezam, S.M.R.M.; Ting Luo; McGeehan, J.E.; Willner, A.E.;
Photonics Technology Letters, IEEE
Volume 16, Issue 5, May 2004 Page(s):1391 - 1393
Digital Object Identifier 10.1109/LPT.2004.826134
AbstractPlus | References | Full Text: PDF(192 KB) **IEEE JNL**

☐ 5. **Multi-clock timed networks**
Aziz Abdulla, P.; Deneux, J.; Mahata, P.;
Logic in Computer Science, 2004. Proceedings of the 19th Annual IEEE Symp
13-17 July 2004 Page(s):345 - 354
Digital Object Identifier 10.1109/LICS.2004.1319629
AbstractPlus | Full Text: PDF(578 KB) **IEEE CNF**

6. **Charge injection of analogue CMOS switches**
Eichenberger, C.; Guggenbuhl, W.;
Circuits, Devices and Systems, IEE Proceedings G
Volume 138, Issue 2, April 1991 Page(s):155 - 159
AbstractPlus | Full Text: PDF(400 KB) **IEE JNL**

7. **96-GHz static frequency divider in SiGe bipolar technology**
Rylyakov, A.; Zwick, T.;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 10, Oct. 2004 Page(s):1712 - 1715
Digital Object Identifier 10.1109/JSSC.2004.833562
AbstractPlus | References | Full Text: PDF(688 KB) **IEEE JNL**

8. **A double-sampling extended-counting ADC**
De Maeyer, J.; Rombouts, P.; Weyten, L.;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 3, March 2004 Page(s):411 - 418
Digital Object Identifier 10.1109/JSSC.2003.822903
AbstractPlus | References | Full Text: PDF(504 KB) **IEEE JNL**

9. **A 13.5-mW 5-GHz frequency synthesizer with dynamic-logic frequency di**
Pellerano, S.; Levantino, S.; Samori, C.; Lacaita, A.L.;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 2, Feb. 2004 Page(s):378 - 383
Digital Object Identifier 10.1109/JSSC.2003.821784
AbstractPlus | References | Full Text: PDF(504 KB) **IEEE JNL**

10. **Clocking strategies and scannable latches for low power applications**
Zyuban, V.; Meltzer, D.;
Low Power Electronics and Design, International Symposium on, 2001.
6-7 Aug. 2001 Page(s):346 - 351
Digital Object Identifier 10.1109/LPE.2001.945430
AbstractPlus | Full Text: PDF(572 KB) **IEEE CNF**

11. **Adapting power consumption to performance requirements in a MSP430**
Cebrian, A.; Rey, J.; Tormos, A.; Millet, J.;
Electron Devices, 2005 Spanish Conference on
2-4 Feb. 2005 Page(s):83 - 86
Digital Object Identifier 10.1109/SCED.2005.1504314
AbstractPlus | Full Text: PDF(208 KB) **IEEE CNF**

12. **Acoustical localisation system for the tracking of underwater drifting floa**
Du Chaffaut; Tiller; Gascard;
OCEANS
Volume 6, Part 1, Aug 1974 Page(s):139 - 144
AbstractPlus | Full Text: PDF(400 KB) **IEEE CNF**

13. **A 1.8 V supply multi-frequency digitally trimmable on-chip IC oscillator w detection capability**
Boas, A.L.V.; Soldera, J.B.D.; Olmos, A.;
Integrated Circuits and Systems Design, 2004. SBCCI 2004. 17th Symposium
7-11 Sept. 2004 Page(s):44 - 48
AbstractPlus | Full Text: PDF(409 KB) **IEEE CNF**

14. **Fully-differential CMOS current-mode amplifiers and filters**
Zele, R.H.; Allstot, D.J.; Fiez, T.S.;
Circuits and Systems, 1991. Conference Proceedings, China., 1991 Internatio on

16-17 June 1991 Page(s):781 - 784 vol.2
Digital Object Identifier 10.1109/CICCAS.1991.184477
AbstractPlus | Full Text: PDF(272 KB) **IEEE CNF**

☐ **15. Fully-differential CMOS current-mode circuits**
Zele, R.H.; Allstot, D.J.; Fiez, T.S.;
Custom Integrated Circuits Conference, 1991., Proceedings of the IEEE 1991
12-15 May 1991 Page(s):24.1/1 - 24.1/4
Digital Object Identifier 10.1109/CICC.1991.164055
AbstractPlus | Full Text: PDF(296 KB) **IEEE CNF**

View Selected Items